NUMBER 1—JANUARY 1989

Invited Article. The interaction of hydrogen with metal surfaces of two-fold symmetry By K. Christmann	1
Molecular dynamics simulation of the liquid mixture $\mathrm{CCl_4/CS_2}$. I. Thermodynamic and structural properties	
By U. MITTAG, J. SAMIOS and TH. DORFMÜLLER	51
Pretransitional behaviour in nematogens composed of flexible molecules. A molecular field theory By N. J. HEATON and G. R. LUCKHURST	65
Implementation of the Dahl-Andersen-Wertheim theory for realistic water-water potentials By J. KOLAFA and I. NEZBEDA	87
The influence of the quality of the solvent on the properties of a polymer. A thermodynamic model and molecular dynamics calculations By B. SMIT, K. R. Cox and J. P. J. MICHELS	97
Reduced density matrices and reduced local operators for a rotating-vibrating molecule By J. Makarewicz	113
The Eckart-frame hamiltonian of a triatomic molecule in terms of the bond lengths and the intrabond angle By G. A. NATANSON	129
The structure of a hard sphere fluid mixture confined to a slit By M. Moradi and G. Rickayzen	143
Spin topology filtration in N.M.R. By C. RADLOFF and R. R. ERNST	161
Chemical potentials of model and real dense fluid mixtures from perturbation theory and simulations	100
By A. LOTFI and J. FISCHER	199
The third-order Raman spectrum of argon pairs J. BORYSOW, L. FROMMHOLD and J. W. KETO	221
The CaO c $^3\Sigma^+$ – a $^3\Pi_i$ (0,0) band. The key to the orange system and the global electronic structure of CaO	
By J. B. Norman, K. J. Cross, H. S. Schweda, M. Polak and R. W. Field	235
NUMBER 2—10 FEBRUARY 1989	
Deuterium spin relaxation and guest motion in the n-nonadecane/urea clathrate By M. S. Greenfield, R. L. Vold and R. R. Vold	269
Monte Carlo and simple theoretical calculations for ion-dipole mixtures By KY. CHAN, K. E. GUBBINS, D. HENDERSON and L. BLUM	299
Heisenberg-model cluster expansion for half-filled Hubbard and PPP models By R. D. Poshusta, T. G. Schmalz and D. J. Klein	317
Spectroscopy and vibrational couplings in the 3v ₃ region of acetylene By M. Herman, T. R. Huet and M. Vervloet	333
Analysis of roto-translational absorption spectra induced in low density gases of non polar mol-	
By P. Dore, M. Moraldi, J. D. Poll and G. Birnbaum	355
Screened potentials of the site-site ion-molecular model. The mean spherical approximation By M. F. HOLOVKO and YU. V. KALYUZHNIJ	375

The equilibrium structure of highly polar molecular liquids. I. SO ₂ By M. ALVAREZ, F. J. BERMEJO, P. CHIEUX, E. ENCISO, M. GARCIA-HERNANDEZ, N. GARCIA and J. ALONSO	397
Model studies of oxygen chemisorption on silver surfaces using an AgO ₂ cluster By K. Broomfield and R. M. Lambert	421
First principles calculation of rotational and ro-vibrational line strengths. Spectra for H ₂ D ⁺ and D,H ⁺	
By S. MILLER, J. TENNYSON and B. T. SUTCLIFFE	429
van der Waals interaction potentials. Many-body effects in Ne ₄ By B. H. Wells and S. Wilson	457
Perturbation analysis of gas-surface diffractive selective adsorption resonance states By E. ENGDAHL and N. MOISEYEV	465
Experimental and theoretical determination of vibrational frequency shifts of diatomic molecules adsorbed in NaA zeolite. Interaction potential and its derivatives with respect to the internal coordinate of H ₂ , D ₂ , N ₂ , O ₂ By E. R. COHEN DE LARA	479
Nematic liquid crystals. A Monte Carlo simulation study in higher dimensions By M. E. Mann, C. H. Marshall and A. D. J. Haymet	493
Rotational analysis and anomalous intensity patterns of the 2430 to 2770 cm ⁻¹ infrared spectrum of CH ₃ I	
By F. LATTANZI, C. DI LAURO and G. GUELACHVILI	509
Preliminary Communications Radiofrequency/infrared double resonance spectroscopy of the HD* ion By A. Carrington, I. R. McNab and C. A. Montgomerie	519
Polarized light scattering from pairs of anisotropic, linear molecules (H_2-H_2,D_2-D_3) By M. S. Brown and L. Frommhold	527
Interpretation of Mössbauer spectra of deoxyhaemoglobin taking into account the non-equivalence of the Fe ²⁺ electronic structure in different subunits By M. I. OSHTRAKH, V. A. SEMIONKIN, B. N. BURYKIN and V. I. KHLESKOV	531
Errata Effects of substrate potential on structure and dynamics of stage-3 graphite intercalated caesium By J. W. White and P. A. Wielopolski	537
Spectroscopic investigations of the diatomic molecule RbCs by means of laser-induced fluorescence. I. Rotational analysis of the $^1\Sigma^+$ ground state up to near dissociation By T. Gustavsson, C. Amiot and J. Vergës	539
NUMBER 3—20 FEBRUARY 1989	
The electronic spectrum of ScH. An MRD-Cl study By J. Anglada, P. J. Bruna and S. D. Peyerimhoff	541
Quantum and classical mechanical calculations of transport-relaxation cross sections for the HD-He interaction By WK. Liu, F. R. W. McCourt and A. S. Dickinson	565
Diffusion in simple fluids By R. J. Speedy, F. X. Prielmeier, T. Vardag, E. W. Lang and HD. Lüdemann	577
Transformed hamiltonian theory for HD+ By R. E. Moss and I. A. SADLER	591
Simulation of energy levels schemes and of some magnetic properties of divalent copper in tetra- gonal or pseudo tetragonal symmetries By S. BAILLEUL and P. PORCHER	605
Thermal conductivity of crystalline and glassy crystal cyclohexanol under pressure By O. Andersson, R. G. Ross and G. Bäckström	619

Applied field simulations of Stockmayer fluids By H. G. Petersen, S. W. de Leeuw and J. W. Perram	637
The effects of three-body dispersion interactions on liquid-liquid phase equilibrium By P. D. McMahon	647
A MO-CI study on the π-coordinated interaction between palladium atom and acetylene By I. Garcia-Cuesta, J. Miralles-Sabater, A. M. Sánchez-de-Merás, M. Merchán and I. Nebot-Gil.	659
The rotational constants of acetylene-d By G. Wlodarczak, J. Demaison, J. Burie and M. C. Lasne	669
Angular distributions of reactive scattering arising from persistent complexes with oblate sym-	009
metric top transition states By R. D. Jarvis and R. Grice	675
The hyperfine structure of the Na ₂ 4 ³ Σ _p ⁺ state By Li Li, Qingshi Zhu and R. W. Field	685
Research Note	
Nonclassical critical exponents in the mean spherical approximation By F. Castaño, J. J. Brey and A. Santos	695
	0.0
Erratum	
On the higher vibration–rotational levels of HD* and H ₂ * By L. WOLNIEWICZ and J. D. POLL	701
NUMBER 4—MARCH 1989	
Optical spectra and crystal-field analyses of samarium in the centrosymmetric hexakis(antipyrine)- samarium(III) tri-iodide and tri-perchlorate systems By M. T. Berry and F. S. RICHARDSON	703
Vibronic transitions in the excitation and emission spectra of hexakis(antipyrine)europium(III) tri-iodide and tri-perchlorate crystals By M. T. Berry, A. F. Kirby and F. S. Richardson	723
Vibrational density of states in polycrystalline sulphuric acid By C. Andreani, V. Merlo, M. A. Ricci and B. C. Boland	747
Calculation of transport coefficients using a modified Mori formalism. II. The diffusion coefficient for a dilute gas of hard spheres	
By C. G. Joslin and C. G. Gray	757
Fluids inside a pore—an integral-equation approach. I. General formalism and hard spheres inside spherical and slit pores	
By Y. ZHOU and G. STELL	767
Fluids inside a pore—an integral-equation approach. II. Cylindrical pores By Y. Zhou and G. Stell	791
Higher-order Sternheimer shieldings of the hydrogen atom By P. W. FOWLER and E. STEINER	797
Spherical tensor theory of long-range interactions in a system of N arbitrary molecules including quantum-mechanical many-body effects. IV. The use of cartesian-spherical transformation formalism By P. PIECUCH	805
Velocity and damping of thermal phonons in isomeric alcohols	00.
By S. Magazú, D. Maiolino, F. Mallamace, P. Migliardo, F. Aliotta, C. Vasi, A. d'Aprano and D. I. Donato	819
Carbon-proton and proton-proton spin-spin coupling surfaces for the methane molecule By P. Lazzeretti, R. Zanasi and W. T. Raynes	831
The structure of the molecular liquids carbon monoxide (CO) and nitric oxide (NO) as determined by neutron scattering	
By M. A. HOWE, C. J. WORMALD and G. W. NEILSON	84

Research Note Multiple pathways for the direct formation of SiH ₂ from the photodissociation of ethylsilane	
By C. Gonzales, H. B. Schlegel and J. S. Francisco	859
Erratum X-ray diffraction measurement on liquid iodine and some dilute mixtures of KI in I ₂	
By C. van der Marel, W. Bras and W. van der Lugt	863
NUMBER 5—10 APRIL 1989	
Invited Article. Statistical study of a concentrated dispersion of deformable particles modelled as an assembly of cyclic lattice chains By E. DICKINSON and S. R. EUSTON	865
Viscosities of gaseous argon-hydrogen mixtures By I. N. Hunter, G. P. Matthews and E. B. Smith	887
Relaxation-allowed cross-peaks in two-dimensional N.M.R. correlation spectroscopy By S. WIMPERIS and G. BODENHAUSEN	897
¹ H, ²³ Na and ³¹ P N.M.R. in the disodium salt of glucose 1-phosphate By E. C. REYNHARDT and S. FRONEMAN	921
Computation of the short range repulsion energy from correlated monomer wavefunctions in van der Waals dimers containing He, Ne, and N ₂	929
By W. Rijks, M. Gerritsen and P. E. S. Wormer Submillimetre wave spectra of the ¹³ C monosubstituted forms of CCH. Determination of the substitution structure	929
By M. BOGEY, C. DEMUYNCK and J. L. DESTOMBES	955
Lineshapes in collision-induced absorption. Classical, quantum and semiclassical calculations for exactly solvable models By A. G. Basile, C. G. Gray, B. G. Nickel and J. D. Poll	961
Rydberg states of the SH(SD) radical revealed by multiphoton ionization spectroscopy By M. N. R. ASHFOLD, B. TUTCHER and C. M. WESTERN	981
High-resolution phosphorus-31 N.M.R. studies of solid phosphorus pentachloride By R. K. Harris and A. Root	993
MD simulations of liquid CCl ₄ with a new pair potential By C. Kölmel, R. Ahlrichs and B. Karch	1015
The high resolution Fourier transform infrared spectrum of H ₃ ⁷⁰ Ge ³⁵ Cl from 2000 to 2250 cm ⁻¹ By F. Lattanzi, C. di Lauro, L. Henry, A. Valentin and H. Bürger	1027
Quantum and semiclassical dynamics of quasilinear triatomic system near the adiabatic term intersection point of $\Sigma^+ = \Pi = \Sigma^-$ type	
By V. I. OSHEROV, L. V. POLUYANOV and A. I. VORONIN Percolation cluster statistics of Lennard-Jones fluids	1041
By D. M. HEYES and J. R. MELROSE	1057
NUMBER 6—20 APRIL 1989	
Symmetry-adapted bases over Liouville space. V. $[A]_4$ $(I_i \ge 1)$ related spin systems: Generation of the $ IM\alpha, \mu(\mathcal{S}_4)\rangle$ and $ kqv: \mu(\mathcal{S}_4)\rangle$ sets from the combinatorics of weight sets $(M_1 - M_4)$ By F. P. TEMME	1075
The dynamic dielectric constant of an inhomogeneous polar liquid: direct approach from simulation By J. G. Powles, M. L. WILLIAMS and W. A. B. EVANS	1107
Beyond the x-K relations. Calculations of 1-1 and 2-2 resonance constants with application to HCN and DCN	
By K. K. Lehmann	1129

Two-photon multiterm nonadiabatic transitions. I. WKB theory of resonance Raman scattering By S. I. Vetchinkin, V. L. Bakhrakh and I. M. Umanskii	1139
Two-photon multiterms nonadiabatic transitions. II. The resonance Raman scattering via the pre- dissociated state	
By S. I. Vetchinkin, V. L. Bakhrakh, L. D. Ievleva and A. F. Popov	1157
Slit-pore sorption isotherms by the grand-canonical Monte Carlo method. Manifestations of hysteresis By M. Schoen, C. L. Rhykerd, Jr., J. H. Cushman and D. J. Diestler	1171
Raman band shapes and the dynamics of liquid N_2O_4 By T. KATÔ and H. KATÔ	1183
Velocity modulation infrared laser spectroscopy of molecular ions. The v ₄ band of ammonium By M. Polak, M. Gruebele, B. W. DeKock and R. J. Saykally	1193
An investigation of supercooled Lennard-Jones argon by quantum mechanical and classical Monte Carlo simulation By J. R. Melrose and K. Singer	1203
Semi-classical analysis of the stabilization method applied to tunnelling and curve crossing By R. Lefebure and M. S. Child	1215
Reactive scattering of a supersonic fluorine atom beam: F + I ₂ By N. C. Firth, N. W. Keane, D. J. Smith and R. Grice	1223
A comparison between classical trajectory and infinite-order sudden calculations of transport and relaxation cross sections for N_2 -Ne mixtures By C. C. K. Wong, F. R. W. McCourt and A. S. Dickinson	1235
Hard ellipsoids of revolution. Virial coefficients for prolate and oblate molecules By M. Rigby	1261
Research Note Virial coefficients for the hard oblate spherocylinder fluid By W. R. COONEY, S. M. THOMPSON and K. E. GUBBINS	1269
Preliminary Communications The rotational structure of the v ₄ -band of CH ³⁵ CIF ₂ By A. J. Ross, A. Amrein, D. Luckhaus and M. Quack	1273
Microwave spectra of the HD ⁺ and D ₂ ⁺ ions at their dissociation limits By A. Carrington, I. R. McNab, C. A. Montgomerie and J. M. Brown	1279
Index of authors (with the titles of papers)	1291